



INNOVATION AND EXCELLENCE SINCE 1992

Customer: **SMART**
CERTIFICATE ANALYSIS PRODUCT FINISHED
 Product: **HIPOTENSION 90 CP** Code **LU921**
 N°PNT Reference **MAPA LU921** Batch/N°analysis: **2202 10 2025**

CONCEPT		RESULTS		
Presentation		90 tablets on Storages.		
Date Fabrication		OCTOBER 2022		
Analyses of samples		As documents in process		
Expire day		OCTOBER 2025		
Raw Material certificate inspection		Correct		
Bottling Material inspection		Correct		
Process certificates review		Correct		
	Analysis	Méthod	Specifications	Results
Organoleptics properties	Aspect	Visual Control	Tablets.	Correct
	Odor	Olfactory Control	S/ref.	Correct
	Taste	Taste Control	S/ref.	Correct
	Colour	Visual Control	Brown.	Correct
Physichal-chemical Parameters	Average	Average	$\geq 1330 \leq 1470$ mg.	1397 mg
	Uniformity mass	F. Eur 3 ^a ed., 2.9.5.	$\geq 1330 \leq 1470$ mg.	1391 mg
	Height	Pié de rey	$\geq 10,00 \leq 10,20$ m	10 mm
	Hardness	FEE007	$\geq 4 \leq 7$	4 Kp
	Wet	FEE011 60°C 60 hPa 2h	≤ 6 %	4 %
	Friability	FEE025	≤ 1 %	0,4 %
Packaging	Time dispersion	Water very hot	≤ 8 min.	4 min.
	Aspect Storage	Visual Control	White	Correct
Marking Label	N° tablets/storage	Visual Control	90	Correct
	Batch/ Expire day	Control Visual	2202 10 2025 TENSIX	Correct
Printer	Control Visual	Correct		
Quantities	Ingredients mg./cáp:	As specifications Customer.		
Units per box	73 Storages in a Box.			Correct
Units	Results: 1008 storages.			
Preservation	Dry place and To keep out of light			

Date: 19/10/2022